

단 가 표

2024.09.01

금속제 가요전선관 및 콘넥터

규격	SF 후렉시블 	GW 후렉시블		SW 후렉시블	WF 후렉시블
		(흑색) 	(회색) 	(흑색) 	(회색) 
16	290	359	410	790	419
22	560	570	620	1,100	570
28	810	767	820	1,490	790
36	1,480	1,223	1,330	2,250	
42	1,750	1,580	1,690	2,790	
54	2,470	2,230	2,370	3,980	
70		4,100			
82		5,240			
104		7,870			

규격	아연방수콘넥터				WF 방수 콘넥터	황동방수콘넥터		인서트	FFC (후렉시블연결)	PVC 방수 콘넥터
	SG	90도	45도	PG		SG	PG			
										
16	530	1,690	2,630	690	530	3,100	4,150	64	1,120	250
22	690	2,100	3,360	930	690	3,580	4,850	75	1,690	310
28	980	3,890	4,570	1,290	980	5,720	7,550	110	2,150	420
36	1,490	4,650	7,760	1,930	1,490	8,300	10,430	165	3,290	610
42	2,090	7,980	12,400	2,540	2,090	10,800	13,300	205	4,320	
54	2,790	10,650	16,500	3,380	2,790	14,900	18,500	280	5,640	
70	6,100			7,040				630		
82	9,300			10,350				870		
104	14,600			15,100				1,280		


규격	SF 콘넥터		SF 원터치 콘넥터			이종 멀티 커플링 (ABS)	이종 멀티 콘넥터 (ABS)	이지박스콘넥터 (ABS)	
	로크너트타입	와셔형	일반	난연	레듀샤형			SF용	GW용
									
16	240	260	89	110	220	259	210	460	460
22	390				(16*22)	CD, GW, WF, SF 모두 사용가능 (난연)			
28	650								

단 가 표

2024.09.01

강제 전선관 및 부속품

규격	강제전선관	노말밴드	커플링	로크너트	부싱	파이프행거	워셔캡(주물)	워셔캡(PVC)
								
16	8,690	2,100	350	59	98	390		580
22	11,280	2,480	470	83	145	420	2,250	1,050
28	14,750	3,320	690	150	244	440	2,440	1,390
36	18,890	4,430	1,040	217	385	470	4,220	1,690
42	21,720	5,750	1,200	273	460	490	4,410	2,200
54	30,490	8,900	1,850	390	774	680	6,570	
70	38,880	14,400	3,470	720	1,410	790	29,800	
82	44,800	23,500	4,520	960	2,120	1,250	34,800	
104	72,300	46,300	6,620	1,420	3,300	1,370	39,500	

규격	TPP	TPB	TPF	멀티 유크램프	멀티크램프	채널 크램프		
	파이프+파이프	파이프+박스	파이프+후렉시블			일반	KS	SUS
								
16	820	690	730	145	295	99	140	380
22	1,040	910	940	154	310	109	160	430
28	1,390	1,320	1,130	175	350	126	180	530
36	2,290	2,070	1,790	340	540	144	220	580
42	2,810	2,630	2,260	400	690	168	260	680
54	3,650	3,670	3,150	500	810	192	290	820
70	6,150	6,450	7,850			290	540	1,100
82	7,850	8,110	12,980			380	670	1,320
104	11,900	12,950	19,900			450	810	1,980

규격	새들			반새들			빔새들 (볼트/너트별도)	빔몸통 (볼트별도)
	일반	KS	SUS	일반	KS	SUS		
								
16	21	61	147	38	90	225	83	소(13mm)
22	28	72	164	52	120	320	99	270
28	51	115	225	79	180	460	113	
36	79	140	350	179	410	730	143	대(33mm)
42	109	160	490	265	670	990	185	530
54	158	210	650	390	940	1520	260	
70	270	530	920				일반	SUS
82	370	670	1,290				크램프볼트	20
104	450	960	1800				크램프너트	10



단 가 표

2024.09.01

시스템박스 / 매입박스 / 노출박스 / 풀박스

	매입용	악세스용	매입용 H65	AL 카바	
시스템박스					
타일용	16,400	16,400	19,500	6,200	
대리석용	17,400	17,400	20,500	7,400	

규격	8각박스	4각박스	스위치박스	콘센트박스	8각평카바	4각평카바	스위치평카바	콘카바
								
44	590	710	470		1P 260	1P 260	1P 210	S/W 370
54	670	790	530	590	2P 260	2P 260		승압 370
75	1,190	1,290	1,440		3P 260	3P 260		
44(연결)	620	740	500		보강철450L	철보강대	PVC보강대	통신용박스(3구)
54(연결)	700	820	560	620				
75(연결)	1,220	1,320	1,470					
54(콘센트)		840			690	270	160	3,980

규격	주물노출박스		환형노출박스					
	스위치/콘센트 겸용		규격	1방	2방(일자)	2방(ㄱ자)	3방	4방
								
16*1방	3,250	16	3,140	3,330	3,330	3,480	3,710	
16*2방	3,520	22	3,330	3,710	3,710	3,990	4,520	
22*1방	3,520	28	4,470	4,950	4,950	5,350	5,760	
22*2방	3,720							

풀박스	100*100	2,470	250*150	6,500	400*150	13,150	500*400	43,900
		150*100	2,280	250*200	7,600	400*200	14,980	500*500
	150*150	2,840	300*100	6,250	400*300	21,500	600*200	43,600
	200*100	3,220	300*150	7,290	400*400	29,500	600*300	45,900
	200*150	3,820	300*200	8,560	500*150	28,000	600*400	53,800
	200*200	4,580	300*300	12,900	500*200	29,000	600*500	71,000
	250*100	5,400	400*100	12,150	500*300	32,500	600*600	79,500




단 가 표


2024.09.01

레이스웨이 / 전산볼트 / 행거

레이스웨이 바디/커버는 M당 단가입니다.

품명	규격	40 X 40		70 X 40		110 X 50	
레이스웨이 바디			1,430		1,740		2,450
레이스웨이 커버			630		960		1,350
조이너			560		890		1,290
A행거 (너트부착형)			490		580		710
수평엘보			1,950		2,460		3,750
수직엘보(인/아웃)			1,950		2,460		3,750
수평티			2,320		2,820		3,800
수평크로스			3,000		3,250		4,590
수평/수직엘보(45도)			2,750		2,980		4,320
앤드캡			550		610		980
박스콘넥터			1,050		1,250		1,620
커버밴드(SUS)			140		150		210
기구용 금구 (아연)		금구	150	부싱	98	로크너트	52
기구용 금구 (ABS)		금구	80	부싱	90	로크너트	50

전산볼트 (3/8")		연결너트	3/8"*육각	95	C형 행거		G형 행거 (그네형)	
		스트롱양카	3/8"* ϕ 12	58				
			3/8"* ϕ 14	82				
			1M	620				
2M	1,240	세트양카	3/8"*70L	110	대 (30mm)	1,250	1/2"	1,650
3M	1,860	전산볼트튜브	3/8"	24,500	C형강브라켓	110	양날브라켓	80

 대봉 부산영업소

단 가 표

2024.09.01

케이블 트레이 / 케이블 덕트 / 찬넬

트레이/덕트 바디/커버는 M당 단가입니다.

규격	케이블 트레이 (3M)		트레이 수평/수직엘보		트레이 수평티		트레이 연결판	트레이 수직라이저
	바디 (용융)	커버 (GI)	바디 (용융)	커버 (GI)	바디 (용융)	커버 (GI)		
100*100	7,890	1,890	12,460	3,990	14,940	4,830	890	1,100
150*100	8,050	2,570	12,690	5,460	15,230	6,550		
200*100	8,350	3,250	13,150	6,880	15,780	8,270	트레이 경첩	홀다운크램프 (일체형)
300*100	8,950	4,610	14,100	9,680	16,930	11,730		
400*100	9,980	8,830	15,470	12,700	18,550	15,170		
450*100	10,370	9,850	15,960	14,100	19,150	16,900		
500*100	10,680	10,870	16,450	15,500	19,740	18,630	3,800	350
600*100	11,320	12,900	17,430	18,380	20,910	22,120		

규격	케이블 덕트 (3M)		덕트 수평/수직엘보		덕트 수평티		덕트 연결판 (GI)	커버크램프 (GI)
	바디 (GI)	커버 (GI)	바디 (GI)	커버 (GI)	바디 (GI)	커버 (GI)		
100*100	4,780	1,890	8,240	3,400	9,920	4,100	740	350
150*100	5,480	2,570	9,450	4,620	11,370	5,550		
200*100	6,170	3,250	10,670	5,830	12,840	7,000		
300*100	7,580	4,610	13,100	8,240	15,750	9,920		

규격	앤드캡	박스콘넥터	찬넬 행거		벽부용 브라켓		볼트 (3/8")	너트 (3/8")
100*100	1,430	3,290	200L	1,270	150L	3,120	29	18
150*100	1,720	3,990	250L	1,510	200L	3,320		
200*100	1,990	4,720	300L	1,790	250L	3,580	접지선	
300*100	2,570	6,150	400L	2,390	350L	4,250		
400*100	3,150	7,580	500L	3,000	450L	4,950		
450*100	3,430	8,440	550L	3,310	500L	5,280	14SQ	930
500*100	3,720	9,150	600L	3,600	550L	5,620	22SQ	1,150
600*100	4,290	10,600	700L	4,200	650L	6,290	38SQ	1,390

C-찬넬	용융도금 찬넬	41*41*3000L	11,900	찬넬캡	
			41*25*3000L	9,800	
	GI 찬넬	41*25*1200L (A)	2,520		
		41*25*1200L (B)	1,950	41*41	70
	SUS 찬넬	41*25*1000L	13,200	41*25	70

단 가 표


2024.09.01

접지동봉 / 방폭자재 / 필름밴드 / 기타

접지동봉		동봉 콘넥터		접지동판	
					
12*500	1,760	중	940	0.7T	15,200
12*1000	2,680	대	1,820	1.0T	21,000
14*1000	4,270	접지 저감제		동피뢰침	
16*1800	7,680				
1800(리드)	10,650				
18*2400	13,900	10kg	7,900	Y형	23,900

방수콘센트		방수스위치
1P	2P (세로형)	1P
		
18,800	32,600	21,300
후로아 오픈형 콘센트 SET		신주카바
1P(원형)	2P(사각)	1.5cm
		
84,200	57,000	7,900

규격	내압방폭후렉시블			곤지레다		씰링휘팅		유니온 커플링
	500L	700L	1000L	LL/LR/LB	LT/LTB	수직형	수평형	
								
16	12,900	13,900	15,800	3,380	3,980	3,320	4,950	1,480
22	17,500	18,900	21,900	3,870	4,680	3,890	5,740	2,150
28	25,700	27,800	31,000	6,370	7,130	5,650	7,390	3,170
규격	장선박스		단니플	플러그	규격	레듀샤		
	안전증	내압방폭				원형레듀샤	소켓레듀샤	육각레듀샤
					EX) 28*22와 28*16은 단가 상이함			
16	10,800	11,500	740	590		22*16	360	1,650
22	11,700	12,300	800	630	28*22	740	2,200	1,730
28	14,300	15,100	1,100	1,020	36*28	1,150	3,940	2,670

필름밴드		철판피스		기리피스		규격	나사없는 전선관	커플링	콘넥터	노말	새들	클램프	
		4*13	6.7	8*13	7.6								
		4*16	7.5	8*16	9.6								
포스맥	대 (1500L)	1,740	4*19	8.7	8*19	11.3	E-19						
	소 (1200L)	1,630	4*25	10.4	8*25	13.2	E-25						
SUS	대 (1500L)	3,870	4*32	12.8	8*32	15.9	E-31	준비 중					
	소 (1200L)	3,450	4*38	15.7	8*38	17.7	E-39						
ABS 노출 박스	스위치	720	앵글 (A급)	500L	2,870	4*50	20.5	8*50	22.1	E-51			
	콘센트	730		1000L	5,740	4*65	29.9	8*65	31.6	E-63			
	검용	480		1500L	8,610	4*75	34.5	8*75	37.9	E-75			

 대봉 부산영업소